





THE DOOR OF BEAUTY & INNOVATION







We choose a door for its aesthetic qualities, but doors offer so much more than aesthetics. Your front door is a warm familiar place where new guests arrive and a cheerful announcement when friends come. We live our lives through them. Our front door sees us when we start our day and are ready to take on new opportunities. It's also a gentle embrace at the end of the day, welcoming us to our home and family. Doors aren't just doors; they're a reflection of us and our home. They help us and our families feel safe and protected. We know how important it is to choose a door that best represents you, makes you feel secure, and fits your needs.

## ABOUT PLASTPRO











Since 1994, Plastpro has always believed in providing a superior product with the best value, technology, and commitment to our customers. Our fiberglass doors offer the beauty and versatility of wood doors, but require less maintenance and have a longer lifespan. Wood and steel doors have been preferred in the industry, but both come with problems such as: rotting, rusting, and weather damage. Our fiberglass doors are the best solution and are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield technology, and composite Polyfiber (PF) Frames to the industry. Our doors feature a full length LVL block that provides stronger rigidity and a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles that are bound to complement everyone's home.

Since the beginning, we've not only been committed to providing superior products, but also in creating opportunities. Our goal is to create positive changes for not only our employees and customers, but also for our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity in order to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. When you buy a Plastpro door, you not only get a beautiful door with the best quality, you become part of Plastpro and join us in giving back to others.



# TABLE OF CONTENTS

5 - 7	PLASTPRO'S QUALITY
8 - 11	PF™ DOOR FRAMES
12	CHOOSING YOUR DOOR
13	DOORABILITY
14 - 15	DOOR SERIES OVERVIEW
16 - 27	GLASS OVERVIEW
28 - 29	SPECIALTY SERIES (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)

30 - 35		LIMITED
36 - 43		MODERN
44 - 55		RUSTIC
58 - 65		MAHOGANY
66 - 73		FIR GRAIN
74 - 107		OAK GRAIN
108 - 153		SMOOTH
154 - 169		TRUE WHITE OAK
170 - 177		ONELITE
178 - 181		NOVA

182 - 185	PRE-FINISH KIT & STAIN / PAINT GUIDES
186 - 187	LEED CONTRIBUTIONS
188 - 193	PRODUCT INDEX



## PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield technology protects our doors against moisture and humidity infiltration, by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield technology used with our Polyfiber (PF) Door Frames create an enhanced, impenetrable entryway.



### 1 FIBERGLASS REINFORCED DOOR SKINS

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of graining options.

### 2 FULL LENGTH COMPOSITE STILES

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

### 3 COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

### 4 EXTENDED LOCKBLOCK


Plastpro's full length LVL allows any type of lock to be placed for increased security.

### 5 POLYURETHANE FOAM CORE

Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

## BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.





## PLASTPRO DOOR



- 1** Full length composite top and bottom rails enhance the durability and performance of the door by preventing any water penetration, which eliminates the natural cracking found with wood.
- 2** High impact skin with beautiful old world craftsmanship will not split, dent, or rust.
- 3** Full length composite stiles offer non-porous protection that prevents water from seeping into the door, which eliminates the natural cracking that occurs with wood.
- 4** Full length LVL block provides stronger rigidity and a range of door locks and hardware to be installed on the door to increase security.
- 5** Polyfiber (PF) Door Frame is durable, long-lasting, and enhances the quality and performance of the entryway when used with our door.

## THEIR DOOR



- 1** Composite bottom rails with wood exposed on the bottom of door allowing for moisture penetration.
- 2** Shallow embossed skin resembling steel doors, reducing curb appeal.
- 3** Limited length wood stiles allow moisture to enter creating future maintenance issues.
- 4** Average wood lock block of 12".
- 5** Wood frame material will crack or rot over time.

HydroShield™  
technology





ASTM D1761	Screw holding capacity.
NWWDA TM-7	Cycle slam test.
NWWDA TM-8	Hinge load resistance test.
ASTM E 283	Air infiltration.
ASTM E 331 / E 547	Water resistant.
ASTM E 330	Uniform structural load.
ASTM E1886 / E1996	Impact / cycle test.
AAMA 1304	Forced entry resistance test.
TAS 201	Impact test.
TAS 202	Air / water / structural test.
TAS 203	Wind pressure cycle test.
NFRC 100 / 200 / 500	Energy efficiency.
ASTEM E90 / STC / OITC	Sound transmission.
ULC 10 C / NFPA 252 / ASTM E 2074	Fire rated.
CDPH / EHLB METHOD V1.1 2010	Volatile organic chemical emission test.
JIS Z 2801:2001	Antimicrobial products test.
ASTM D1413-07	Antifungal wood plastic composite test.
CSFM 12-7A-1	Exterior wildfire exposure test.
AAMA 1702	Exterior door test for manufactured housing.
AAMA 920	Operating cycle test.
AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)	North america fenestration test.

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at [www.plastproinc.com](http://www.plastproinc.com) or contact our Customer Service Department at 1 (800) 779-0561.



WARNING: These products may include styrene, titanium dioxide and wood dust, which are known to the State of California to cause cancer. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

# PFT™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Wood doors and frames are prone to warping, rotting, and cracking, while steel doors and frames can rust and dent. You don't want to install a door that will fail, nor do you want to install a frame that will fail.

Plastpro's Polyfiber (PF) Door Frames are a uniquely formulated and innovative alternative to traditional door frames. They combine the beauty of wood but require less maintenance and have a longer lifespan. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood frames with no added hassle. When used together with a fiberglass door, they create an enhanced, impenetrable entryway.

## FEATURES & BENEFITS

- Equipped with HydroShield technology, it will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Frame is not able to be infested with termites at any point along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Maintenance free and energy efficient.
- Continuous piece with no finger joint and is 25% more rigid than wood frames.

## FRAME DECAY COMPARISON



**PLASTPRO PFT™ DOOR FRAME**

\*with Hydroshield Technology™



**TRADITIONAL WOOD FRAME**

Susceptible to rotting, warping and decay





4 5/16" DOOR FRAME



6 7/16" DOOR FRAME



5 1/4" DOOR FRAME




7 1/4" DOOR FRAME



1 1/4" x 3" FRAME EXTENSION



WM180 BRICK MOULD




WM176 FL. BRICK MOULD




1" x 2" STUCCO MOULD



PRIMED BACKBAND



NAILING FIN



J-CHANNEL




FLAT CASING



FLAT CASING J-CHANNEL



TRIM BOARDS



TRANSOM SILLS

- 4 5/16"
- 6 7/16"




MULL POSTS

- 1 1/2" x 3 9/16" x 2 1/2"
- 1 1/2" x 4 3/8" x 2 1/2"
- 1 1/2" x 3 9/16" x 2"
- 1 1/2" x 4 3/8" x 2"



MULL POST COVERS (EXT.)

- 1 1/2" x 1"
- 2" x 1"



MULL POST CAP



STORM DOOR ADAPTERS

- 1" x 2 1/2"
- 1" x 3"



SIDELITE STOPPER




ASTRAGAL



PFT™ ARCH HEADERS



PFT™ RADIUS HEADERS



MATCHING DOOR	MATCHING KIT CODE	PRODUCT DIMENSION
DRA2C	PFG043068AK	4 <sup>9</sup> / <sub>16</sub> " Arch Frame Kit*
	PFG063068AK	6 <sup>9</sup> / <sub>16</sub> " Arch Frame Kit*
DRA2C80	PFG043080AK	4 <sup>9</sup> / <sub>16</sub> " Arch Frame Kit*
	PFG063080AK	6 <sup>9</sup> / <sub>16</sub> " Arch Frame Kit*
DRA2E-36      DRA2C80-36	PFG043680AK	4 <sup>9</sup> / <sub>16</sub> " Arch Frame Kit*
	PFG063680AK	6 <sup>9</sup> / <sub>16</sub> " Arch Frame Kit*

PFT™ FRAMES ARCH HEADER KIT

\*ALL KITS INCLUDE BRICK MOULD

MATCHING DOOR	MATCHING KIT CODE	PRODUCT DIMENSION
DRA2F80	PFG04030H0RHK	4 <sup>9</sup> / <sub>16</sub> " Radius Frame Kit*
	PFG06030H0RHK	6 <sup>9</sup> / <sub>16</sub> " Radius Frame Kit*


PFT™ FRAMES RADIUS HEADER KIT

\*ALL KITS INCLUDE BRICK MOULD

# ARCH & RADIUS HEADER KITS

The shape of an arched and radius door isn't the only thing that makes it different from a traditional rectangular door. Arch doors exude style and give your entryway a brand new look. Plastpro is the only fiberglass door manufacturer able to offer full composite frames to match arch or radius top doors.





Plastpro Polyfiber (PF) Door Frames are produced with the highest quality and are available in a variety of graining options. For a detailed list of graining available per product, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED	PVC - WHITE
4 <sup>9</sup> / <sub>16</sub> " DOOR FRAME	●	●	●	●	●	
5 <sup>1</sup> / <sub>4</sub> " DOOR FRAME	●			●	●	
6 <sup>9</sup> / <sub>16</sub> " DOOR FRAME	●	●	●	●	●	
7 <sup>1</sup> / <sub>4</sub> " DOOR FRAME	●			●	●	
WM180 BRICK MOULD	●	●	●	●	●	
WM176 FLORIDA BRICK MOULD	●			●		
1" x 2" STUCCO MOULD				●		
PRIMED BACKBAND				●		
NAILING FIN	●			●	●	
J-CHANNEL	●			●	●	
FLAT CASING	●			●	●	
FLAT CASING J-CHANNEL	●			●	●	
TRIM BOARDS						●
TRANSOM SILLS	●	●	●	●	●	
MULL POSTS	●	●	●	●	●	
MULL POST COVERS (EXTERIOR)	●	●	●	●	●	
MULL POST CAP	●					●
STORM DOOR ADAPTERS	●	●	●	●	●	
DOOR FRAME EXTENSIONS	●	●	●	●	●	
SIDELITE STOPPER	●			●		
ASTRAGAL						●
PFT™ ARCH & RADIUS HEADERS	●					

# CHOOSING YOUR DOOR SYSTEM

## STEP 1: CHOOSE DOOR TYPE & PANELING



MODERN

CHERRY

RUSTIC

MAHOGANY

FIR


OAK

SMOOTH

WHITE OAK

ONELITE

## STEP 2: CHOOSE DECORATIVE GLASS




## STEP 3: CUSTOMIZE YOUR ENTRY SYSTEM

- CREATE A DOUBLE DOOR ENTRY WAY
- ADD ONE OR TWO MATCHING SIDELITES
- ADD A MATCHING TRANSOM
- ADD DOOR ACCESSORIES
- COMPLETE WITH PF™ DOOR FRAME




## STEP 4: CHOOSE FINISH

Plastpro's Pre-Finish Staining Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.






# CHOOSE YOUR DOOR DIGITALLY



Sometimes it's hard to imagine what a door would look like on your home. A unique home like yours needs a door to complement it perfectly. Our Doorability tool takes the guess work out and lets you see our doors on your home. We have designed a visualizing tool that allows you to upload a photo of your home and instantly add a variety of door and glass options to visual your homes new door.




## CUSTOMIZE YOUR DREAM ENTRY WAY AT [doorability.plastproinc.com](https://doorability.plastproinc.com)

- EASY TO USE
- VISUALIZE THE PERFECT DOOR ON YOUR HOME
- SAVE AND EMAIL YOUR CUSTOM DOOR
- DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION

## LIMITED


---



Our Limited Series was specifically selected to showcase some of the richest, luxury graining available.

## MODERN

---



The Modern Series effortlessly makes a contemporary design simpler.

## RUSTIC

---



Our Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home.

## MAHOGANY


---



The Mahogany Series brings a beloved wood texture into traditional, timeless styles.

## FIR GRAIN

---



Our Fir Grain Series creates fine details and gives your home a traditional, craftsman appeal.

## OAK GRAIN

---



Dressed in a rich oak grain texture, our Oak Grain Series gives a classic look to your home.



## SMOOTH

---



The Smooth Series is made with a pre-pigmented white skin. Its simplicity gives a clean, minimal look to any of our fiberglass doors.

## TRUE WHITE OAK

---



The True White Oak Series combines the best features from our Smooth and Oak Grain doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin.

## ONELITE


---



Our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door.

## NOVA

---



The Nova Series was inspired by the gentle, rising light that causes a calm, peaceful feeling experienced in the early morning.



# GLASS OVERVIEW

PAGES 16 - 27

A beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accomplishes that better than our exclusive glass designs that improve the look and value of your home while adding beauty to your everyday living.



Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glasses, that provide excellent safety, sound, and thermal performance.

The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.

## DOORLITE

### INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.


### PERFORMANCE FEATURES

Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity

Silicon Foam Features: Excellent UV resistance and extreme temperature performance

Dual-Seal Performance: Chamfered corners for increased sealant depth

Tempered Safety Glass for your peace of mind



\*This illustration applies to our triple pane glass only.

## GLASS CAMING

### GLASS CAMING OPTIONS


Our exclusive glass designs are offered with different coming options to match a variety of hardware finishes.



 WROUGHT IRON



 PATINA




 ZINC

## GLASS FRAMES

### BTHP™ SNAP-ON FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway. Able to withstand temperatures over 200 degrees Fahrenheit, this frame is perfect for use in any door.



### WROUGHT IRON FRAMES

This maintenance-free Wrought Iron doorlite frame resists rust and corrosion while working to keep cold out in the winter and heat out in the summer. Specially engineered to complement the range of cutouts in the Rustic Series, each frame is beautifully hand made and has a durable powder coat finish. May also be used in select Smooth Skin, Woodgrain, and True White Oak doors.





# CAMELIA

**CAMING:** WROUGHT IRON  
**TRANSOM:** AVAILABLE



Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance to a door's appearance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

- 1 Wrought Iron
- 2 Waterfall Tempered Glass




# PRISCILLA

**CAMING:** WROUGHT IRON  
**TRANSOM:** AVAILABLE



Priscilla's smooth swirl design pays tribute to Renaissance style. The wrought iron and little bubble glass gives the design a touch of grandeur, which is perfect for any home looking for an elegant flair.

- 1 Wrought Iron
- 2 Little Bubble Tempered Glass




# CHIANTI

CAMING: WROUGHT IRON  
TRANSOM: AVAILABLE



Sometimes less is more. Chianti's simple, geometric pattern is minimal, but creates a strong yet subtle arrangement. Paired with rain glass, this design will complement any home.

- 1 Wrought Iron
- 2 Rain Glass



# ABERDEEN

CAMING: ZINC  
TRANSOM: AVAILABLE



There is more than meets the eye. Although simple in design, Aberdeen gives a modern, clean profile, and its translucent reed glass is perfect for maintaining a high level of privacy to your home.

- 1 Zinc Caming
- 2 Reed Glass





# ARTESANO

CAMING: PATINA  
TRANSOM: AVAILABLE




Artesano's subtle hint of amber colored glass creates a warm welcoming feeling to any home. This arrangement is the ideal balance between a clear, simple pattern with a combination of glass textures.

- 1 Clear Hammer (100HS)
- 2 Patina Caming
- 3 Amber Glass
- 4 Sea Spray
- 5 Clear Bevel



PRIVACY RATING  
INCREASING OBSCURITY



# ARTESANO BREEZE

CAMING: ZINC  
TRANSOM: AVAILABLE




Artesano's classic design is a tasteful blend of small and large geometric shapes. This pattern's transparent features work to create a sophisticated, decorative, and elegant look to any entry door.

- 1 Clear Hammer (100HS)
- 2 Zinc Caming
- 3 Clear Bevel
- 4 Sea Spray



PRIVACY RATING  
INCREASING OBSCURITY





# BRENTWOOD

**CAMING:** ZINC OR PATINA  
**TRANSOM:** AVAILABLE



A classic inspired arrangement, our Brentwood piece epitomizes style. With bevel swirls and a bold centerpiece all outlined by a crystal granite border, Brentwood can be appreciated in any home.

- 1 Baroque
- 2 Clear Bevel
- 3 Bright Zinc, or Patina Caming
- 4 Granite



**PRIVACY RATING**  
INCREASING OBSCURITY



# CASTILE

**CAMING:** PATINA  
**TRANSOM:** AVAILABLE




Inspired by the historical Spanish kingdom, Castile is as ornate as its nature and history. The baroque style glass balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.

- 1 Granite
- 2 Baroque
- 3 Patina Caming
- 4 Beveled



**PRIVACY RATING**  
INCREASING OBSCURITY



# CHARLOTTE

**CAMING:** ZINC OR PATINA  
**TRANSOM:** AVAILABLE




The combination of patterns and an ornately constructed centerpiece magnify the grand nature of our Charlotte glass. With French influence, this bright, inviting design is perfect for any entrance door.

- 1 100 Water
- 2 Lava
- 3 Clear Bevel
- 4 Bright Zinc, or Patina Caming



**PRIVACY RATING**  
INCREASING OBSCURITY —————>



# ELIZABETH

**CAMING:** PATINA  
**TRANSOM:** AVAILABLE




Elizabeth's elegant combination of textured glass and geometric patterns is reminiscent of traditional craftsman style. The patina caming complements all aspects of your door right down to the hardware.

- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming



**PRIVACY RATING**  
INCREASING OBSCURITY —————>



# KENSINGTON

CAMING: PATINA  
TRANSOM: AVAILABLE




Kensington brings a classic English atmosphere to anyone's curb appeal. A combination of frosted glass and subtle line patterns gives a high level of charm to this distinct beauty.

- 1 100 Water
- 2 Clear Bevel
- 3 Narrow Reed
- 4 Sandblasted Glass
- 5 Patina Caming



PRIVACY RATING

INCREASING OBSCURITY



# OXFORD


Although simple, Oxford's frosted glass with clear glass outlines adds an elegant touch. The luminous glass adds a high level of privacy. With a hint of modern dimension, any home can benefit from its polished appearance.

- 1 Clear
- 2 Satin Etch



PRIVACY RATING

INCREASING OBSCURITY






# SOLSTICE

**CAMING:** PATINA  
**TRANSOM:** AVAILABLE



Our Solstice creates a beautiful, simplistic arrangement of frosted glass bordered by patina coming outlines. This stylistic design is bound to leave a lasting impression to any home.

- 1 Sable 3.0 MM Outer Border
- 2 Clear Pencil Bevel for Inner Border
- 3 Sable Bevels Center Background
- 4 Patina Caming




# SPRING

**CAMING:** PATINA  
**TRANSOM:** AVAILABLE



This chevron pattern arrangement emphasizes clean-cut arrows with two toned glass colors. It provides a subtle charm to its otherwise simple pattern. The pale gray, water-like glass texture gives a sense of energy and renewal reminiscent of spring.

- 1 Light Water
- 2 Clear Chord
- 3 Pale Gray Water
- 4 Patina Caming




# TABITHA

**CAMING:** PATINA  
**TRANSOM:** AVAILABLE



A clustered flower atop Tabitha is the perfect accent to this romantic centerpiece. The mix of patterns and textures give the arrangement a fluid, contemporary design that will always be admired.

- 1 Granite
- 2 Double Water
- 3 Clear Bevel
- 4 Patina Caming



# MINIBLINDS

**CAMING:** Clear Insulated Glass & LoE Glass

Our Miniblinds offer a clean, cordless design that utilizes a single, easy-to-use lever to control the height and tilt of your blinds. Encased between either our LoE or Clear IG sealed glass, there are no exposed cords, blinds require no dusting, and the sealed glass unit increases energy efficiency.

- 1 Miniblind
- 2 Clear IG or Low-E Glass







Knotty Alder Door • DRK2B



# FIRE RATED



**M**ade with fire-resistant composite, Plastpro Fire Rated doors are extremely durable. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Certain models are available to hold off fire for 60 and 90 minutes. Most importantly, our doors provide a safe home without ever sacrificing style.



= 20min rating  
option available



= 60min rating  
option available



= 90min rating  
option available

Contact us for stock availability.



# TRIMMABLE

**O**ur Trimmable Series is designed to fit in a variety of existing entry ways. Adjustments up to 2" in height and width can be made to the door through your contractor. Trimmable doors are available in Oak and Smooth skin. This is the door your home has been waiting for.



= Trimmable Option Available. Contact us for stock availability.  
(Only available in 3'0" width)



# HVHZ IMPACT



Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are engineered to withstand the force of flying objects, while maintaining all the benefits and beauty of our door aesthetic. Our Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door.



= HVHZ Option Available. Contact us for stock availability.

## RESIDENTIAL ADA

Our Residential ADA doors are offered in a variety of styles that fulfill all compliances. From Modern to True White Oak, our Residential ADA series has a 10" bottom rail that allows a kick plate to be installed. We have the option to include reinforced blocking through a special order.



= Residential ADA Option Available. Contact us for stock availability.





# LIMITED SERIES



Knotty Alder Door • DRK2B



Cherry Door • DRC21


Our Limited Series was specifically selected to showcase some of the richest, luxury graining available. The Cherry, Knotty Alder, and Teak doors are fine, subtle, but detailed. Cherry is a premium American hardwood, prized for its natural luster and attractive grain. Knotty Alder is admired for its subtle swirls and rich grain pattern with sound knots. Teak is a worldwide favorite for its beautiful straight, yet occasionally wavy or interlocked grain patterns. These grains exude an authentic wood grain and are so versatile they will complement any home.

ALL LIMITED DOORS ARE SHOWN PRE-FINISHED





6'8"

3'0"




DRC21

6'8"


2'8" • 2'10" • 3'0" • 3'6"



DMT51

7'0"


3'0" • 3'6"




DMT5170

6'8"

2'8" • 2'10" • 3'0"



DRK2B



# CHERRY TWO PANEL DOOR



## GRAIN CLOSE UP



CAMFL7




**PACLFL7**



**CHIFL7**



ABRFL7Z




ARTFL7P




ARZFL7Z




**BREFL7P/Z**



CASFL7P



CHRFL7P



ELZFL7P



**KENFL7P**



OXFFL7



**SOLFL7P**



SPRFL7P

6'8"



TABFL7P

6'8"



MBC/MBLFL7

6'8"



CAMFL1

6'8"



PCLFL1

6'8"



CHIFL1

6'8"



ABRFL1Z

6'8"




ARTFL1P

6'8"



ARZFL1Z

6'8"



BREFL1P/Z

6'8"



CASFL1P

6'8"



CHRF1P

6'8"



ELZFL1P

6'8"



KENFL1P

6'8"




OXFFL1

6'8"



SOLFL1P

6'8"



SPRFL1P

6'8"



TABFL1P

6'8"




MBC/MBLFL1



# MODERN TEAK MILAN DOOR

6'8"


2'8" • 2'10" • 3'0" • 3'6"



DMT51

7'0"

3'0" • 3'6"



DMT5170




GRAIN CLOSE UP

SQUARE TOP

# KNOTTY ALDER TWO PANEL DOOR

6'8"

2'8" • 2'10" • 3'0"



DRK2B



GRAIN CLOSE UP



# MODERN




Oak Modern Door • DMG46



The Modern Series effortlessly makes a contemporary design simpler. Our doors are designed to have a cleaner style by incorporating clean, simple lines and single patterned glass. This clean look can complement any homes interior and exterior.

ALL MODERN DOORS ARE SHOWN PRE-FINISHED




<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMG46</div><div> </div></div>	<div><div>8'0"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMG4680</div><div> </div></div>	<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMG51</div><div></div></div>	<div><div>8'0"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMG5180</div><div></div></div>	<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS1L</div><div></div></div>	<div><div>8'0"</div><div>3'0" • 3'6"</div><div></div><div>DMS1L80</div><div></div></div>
<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS1R</div><div></div></div>	<div><div>8'0"</div><div>3'0" • 3'6"</div><div></div><div>DMS1R80</div><div></div></div>	<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS1T</div><div></div></div>	<div><div>8'0"</div><div>3'0" • 3'6"</div><div></div><div>DMS1T80</div><div></div></div>	<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS3H</div><div></div></div>	<div><div>8'0"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS3H80</div><div></div></div>
<div><div>6'8"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS5H</div><div></div></div>	<div><div>8'0"</div><div>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</div><div></div><div>DMS5H80</div><div></div></div>				

# MODERN OAK SOUTH BEACH DOOR

6'8"


2'6" • 2'8" • 2'10" • 3'0" • 3'6"



DMG46

8'0"

2'6" • 2'8" • 2'10" • 3'0" • 3'6"



DMG4680

# MODERN OAK NAPOLI DOOR

6'8"


2'6" • 2'8" • 2'10" • 3'0"



DMG51

8'0"

2'6" • 2'8" • 2'10" • 3'0"



DMG5180




# MODERN SMOOTH BIENVENUE DOOR



## GLASS OPTIONS



## MODERN GLASS CLOSE UP




# MODERN SMOOTH BIENVENUE DOOR


FLUSH GLAZED SINGLE RIGHT LITE



## GLASS OPTIONS



## MODERN GLASS CLOSE UP



● IN STOCK ● EXTENDED LEAD TIME




# MODERN SMOOTH MARTINIQUE DOOR



## GLASS OPTIONS




## MODERN GLASS CLOSE UP



# MODERN SMOOTH EMPIRE DOOR



# MODERN SMOOTH INFINITY DOOR









# RUSTIC




























Rustic Door DRA2D

Our line of Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home. Doors in the Rustic Series display vertical planks, distinct panel details, and arched and radius tops. The Rustic Series only uses wrought iron glass and rustic accessories to reinforce that mid-century rustic look.

ALL RUSTIC DOORS ARE SHOWN PRE-FINISHED

# DOOR OVERVIEW

<div>6'8"</div> <div>2'6" • 3'0" • 3'6"</div> <div></div> <div>DRATP</div>	<div>7'0"</div> <div>3'0"</div> <div></div> <div>DRATP70</div>	<div>8'0"</div> <div>2'6" • 3'0" • 3'6"</div> <div></div> <div>DRATP80</div>	<div>8'0"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA1A80</div> <div></div>	<div>6'8"</div> <div>3'0"</div> <div></div> <div>DRA1P</div> <div></div>	<div>8'0"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA1P80</div> <div></div>
<div>6'8"</div> <div>3'0"</div> <div></div> <div>DRA2A</div> <div></div>	<div>8'0"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA2A80</div> <div></div>	<div>6'8"</div> <div>3'0"</div> <div></div> <div>DRA2B</div> <div></div>	<div>6'8"</div> <div>3'0"</div> <div></div> <div>DRA2C</div>	<div>8'0"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA2C80</div>	<div>6'8"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA2D</div> <div></div>
<div>8'0"</div> <div>3'0"</div> <div></div> <div>DRA2F80</div>	<div>8'0"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA2P80</div> <div></div>	<div>8'0"</div> <div>3'0"</div> <div></div> <div>DRA2R80</div>	<div>8'0"</div> <div>3'0" • 3'6"</div> <div></div> <div>DRA4R80</div>		

# RUSTIC TRUE PLANK DOOR

SQUARE TOP

6'8"

2'6" • 3'0" • 3'6"



DRATP

7'0"

3'0"



DRATP70

8'0"

2'6" • 3'0" • 3'6"



DRATP80

## RUSTIC ONE PANEL DOOR

ARCH PLANK & SQUARE TOP

8'0"

3'0" • 3'6"



DRA1A80




# RUSTIC ONE PANEL DOOR



● IN STOCK


● EXTENDED LEAD TIME




Rustic Door DRA2F80 • Speakeasy ACCSPKY0910KIT

# RUSTIC TWO PANEL DOOR

ARCH PLANK & SQUARE TOP



## GLASS OPTIONS






# RUSTIC TWO PANEL DOOR



## GLASS OPTIONS






# RUSTIC TWO PANEL DOOR

ARCH PLANK & ARCH TOP



## GLASS OPTIONS



6'8"

3'0" • 3'6"



DRA2D

## GLASS OPTIONS

6'8"



CAM3R4

6'8"



PCL3R4

6'8"



CHI3R4

6'8"




CAM344

6'8"



PCL344

6'8"



CHI344

# RUSTIC TRUE PLANK DOOR

RADIUS PANEL & RADIUS TOP

8'0"



3'0"

DRA2F80

## RUSTIC TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP

8'0"



3'0" • 3'6"


DRA2P80

8'0"



CAMHL6  
CAM346 (3'6")

8'0"



PCLHL6  
PCL346 (3'6")

8'0"



CHIHL6  
CHI346 (3'6")



RADIUS PANEL & SQUARE TOP

# RUSTIC TWO PANEL DOOR

8'0"



3'0"

DRA2R80

RADIUS PANEL & SQUARE TOP

## RUSTIC FOUR PANEL DOOR

8'0"



3'0" • 3'6"

DRA4R80

● IN STOCK

● EXTENDED LEAD TIME



## RUSTIC ACCESSORIES

1.5" Square



ACCLP12Q

1.25" Square



ACCLP14Q

### DECORATIVE CLAVOS


Plastpro Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any fiberglass distressed door, our Decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic Door we provide.

1.5" Round



ACCLP12R

1.25" Round



ACCLP14R

### FEATURES & BENEFITS

- Easy to Apply
- Scientifically Formatted Adhesive Unique for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish

6'8"



DRA1P  
ACCLP14Q

8'0"



DRA1P80  
ACCLP14Q

6'8"



DRA2C  
ACCLP14R

8'0"



DRA2C80  
ACCLP14R

8'0"



DRA1A80  
ACCLP12Q

Speakeasy



ACCSPKY0910KIT

Speakeasy



ACCSPKYGSB0KIT

SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entry way.

18" Hinge Straps



ACCHGSTP18

FEATURES & BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In  
6'8"



DRA2D  
ACCSPKY0910KIT

View Out  
8'0"



DRA2R80  
ACCHGSTP18  
ACCSPKY0910KIT

View In  
6'8"



DRA2D  
ACCSPKYGSB0KIT

View Out  
8'0"



DRA2R80  
ACCHGSTP18  
ACCSPKYGSB0KIT



# MAHOGANY



Mahogany Door • DRM4E



The Mahogany Series brings a beloved wood texture into traditional, timeless styles. Our doors come with classic panel designs that can carry all of our decorative glass designs. This series radiates beauty, elegance, and strength to your home.

ALL MAHOGANY DOORS ARE SHOWN PRE-FINISHED

6'8"



3'0"

DRM3D


6'8"



3'0"

DRM4E


6'8"



2'6" • 2'8" • 2'10" • 3'0"

DRM40

6'8"



3'6"

DRM41

6'8"



3'0"

DRM60

8'0"



3'6"

DRM6080



# MAHOGANY THREE PANEL DELUXE DOOR

6'8"



DRM3D



SLM3D

3'0"

1'0" • 1'2"

## GLASS OPTIONS

6'8"




BRE3V2P/Z

6'8"




CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



BRE3V1P/Z

6'8"




CAS3V1P

6'8"



CHR3V1P/Z

6'8"




TABFL1P



# MAHOGANY FOUR PANEL EYEBROW DOOR

6'8"




DRM4E



SLM60

10" • 12"

6'8"



BREEYEP/Z

● IN STOCK

● EXTENDED LEAD TIME



Mahogany Door • DRM3D • Glass CAS3V2P

# MAHOGANY FOUR PANEL BLANK TOP DOOR

6'8"



2'6" • 2'8" • 2'10" • 3'0"


1'0" • 1'2"

DRM40

SLM60

## GLASS OPTIONS

6'8"



CASHR1P

6'8"




CHRR1P/Z

6'8"




TABHR1P

6'8"



CHIHL4  
CHIHL3 (2'6")

6'8"



ARTHL4P  
ARTHL3P (2'6")

6'8"



ARZHL4Z  
ARZHL3Z (2'6")

6'8"




BREHL4P/Z

6'8"



CASHL4P  
CASHL3P (2'6")

6'8"




CHRH4P/Z

6'8"



ELZHL4P  
ELZHL3P (2'6")

6'8"




KENHL4P  
KENHL3P (2'6")

6'8"




OXFHL4

6'8"



SOLHL4P  
SOLHL3P (2'6")

6'8"




SPRHL4P



# FOUR PANEL BLANK TOP DOOR

6'8"




**TABHL4P**  
**TABHL3P (2'6")**

6'8"



**MBC/MBLHL4**

6'8"



**CAMFL7**  
**CAMFL5 (2'6")**

6'8"



**PCLFL7**  
**PCLFL5 (2'6")**

6'8"




**CHIFL7**  
**CHIFL5 (2'6")**

6'8"



**ABRFL7Z**  
**ABRFL5Z (2'6")**

6'8"



**ARTFL7P**  
**ARTFL5P (2'6")**

6'8"



**ARZFL7Z**  
**ARZFL5Z (2'6")**

6'8"



**BREFL7P/Z**

6'8"




**CASFL7P**  
**CASFL5P (2'6")**

6'8"




**CHRHFL7P/Z**

6'8"



**ELZFL7P**  
**ELZFL5P (2'6")**

6'8"



**KENFL7P**  
**KENFL5P (2'6")**

6'8"



**OXFFL7**

6'8"



**SOLFL7P**  
**SOLFL5P (2'6")**

6'8"



**SPRFL7P**

6'8"



**TABFL7P**  
**TABFL5P (2'6")**

6'8"




**MBC/MBLFL7**  
**MBC/MBLFL5 (2'6")**

6'8"




**CHIHL2**

6'8"




**ARTHL2P**

6'8"




**ARZHL2Z**

6'8"




**BREHL2P/Z**

6'8"




**CASHL2P**

6'8"



**CHRHL2P/Z**

6'8"




**ELZHL2P**




# FOUR PANEL BLANK TOP DOOR

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



MBC/MBLHL2

6'8"



CAMFL1

6'8"



PCLFL1

6'8"



CHIFL1

6'8"



ABRFL1Z

6'8"



ARTFL1P

6'8"




ARZFL1Z

6'8"




BREFL1P/Z

6'8"



CASFL1

6'8"



CHRFL1P/Z

6'8"



ELZFL1P

6'8"



KENFL1P

6'8"




OXFFL1

6'8"




SOLFL1P

6'8"



SPRFL1P

6'8"



TABFL1P

6'8"



MBC/MBLFL1

# MAHOGANY TRUE FOUR PLANK DOOR

6'8"




3'6"

DRM41

# MAHOGANY SIX PANEL DOOR



## GLASS OPTIONS







Mahogany Door • DRM60 • Glass ARTTL1P



# FIR GRAIN



*Fir Grain Door DRF3C • Glass G000 • Accessory ACSD23006*



**O**ur Fir Grain Series has straight, fine vertical graining that produces outstanding results. Accessorized with: simulated divided lights (SDL) and a dentil shelf, it's no surprise it's become a favorite. These fir doors create fine details and give your home a traditional, craftsman appeal.

ALL FIR GRAIN DOORS ARE SHOWN PRE-FINISHED





SHAKER PROFILE DOORS



● COMING SOON - PLEASE CALL REGARDING AVAILABILITY    🔥 20 MIN FIRE RATED    📏 10" BOTTOM RAIL    🔴 IN STOCK    ● EXTENDED LEAD TIME






# FIR GRAIN CRAFTSMAN DOOR

DIRECT GLAZED


DRF3C & DRF3C80 & MATCHING SIDELITES ARE  
ONLY AVAILABLE WITH GLASS



## GLASS OPTIONS



8'0"



SOLP

8'0"



SPRP

6'8"



G000

8'0"



G000

8'0"



B01P

8'0"



B02P

8'0"



ARTP

8'0"



ARZZ

8'0"



KENP

8'0"



SOLP

8'0"



SPRP

# FIR GRAIN SHAKER DOOR

ONE PANEL SQUARE TOP

6'8"



2'8" • 2'10" • 3'0"

DRF1K

## SHAKER PROFILE

The straightforward shaker design showcases the beauty that minimal design can offer. Our shaker focuses on simplicity and is easily adaptable for any home's exterior.

## FIR GRAIN 2 PANEL SHAKER DOOR

6'8"



2'8" • 2'10" • 3'0"

DRF2K



# FIR GRAIN SHAKER CRAFTSMAN DOOR



## FIR GRAIN 5 PANEL SHAKER DOOR







Fir Grain Door DRF3C • Glass G000 • SDL ACSDf23006 • Dentil Shelf ACDSFT2704



# FIR GRAIN ACCESSORIES



3 Lite



6'8" ACSDF/23001  
8'0" ACSDF/23005

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

6 Lite



6'8" ACSDF/23002  
8'0" ACSDF/23006

Sidelite



ACSDF/23004

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

4 Block Dentil Shelf



ACDSFT2704

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

## FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable




# OAK GRAIN



**D**ressed in a rich oak grain texture, our Oak series gives a classic look to your home. Oak doors come in many panel designs. Mix and match these styles with our entire glass line to find the combination that best brings out your homes unique characteristics. These doors create a timeless look that will never go out of style.

ALL OAK GRAIN DOORS ARE SHOWN PRE-FINISHED

# DOOR OVERVIEW






# OAK GRAIN FLUSH PANEL DOOR



## GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME



# OAK GRAIN FLUSH PANEL DOOR

6'8"



**TABFL7P**  
**TABFL5P (2'6")**

6'8"



**MBC/MBLFL7**  
**MBC/MBLFL5 (2'6")**

7'0"



**CAMFL7**  
**CAMFL5 (2'6")**

7'0"



**PCLFL7**  
**PCLFL5 (2'6")**

7'0"




**CHIFL7**  
**CHIFL5 (2'6")**

7'0"



**ABRFL7Z**  
**ABRFL5Z (2'6")**

7'0"



**ARTFL7P**  
**ARTFL5P (2'6")**

7'0"



**ARZFL7Z**  
**ARZFL5Z (2'6")**

7'0"



**BREFL7P/Z**  
**BREFL5P/Z (2'6")**

7'0"



**CASFL7P**  
**CASFL5P (2'6")**

7'0"



**CHRFL7P/Z**

7'0"



**ELZFL7P**  
**ELZFL5P (2'6")**

7'0"



**KENFL7P**  
**KENFL5P (2'6")**

7'0"



**OXFFL7**

7'0"



**SOLFL7**  
**SOLFL5 (2'6")**

7'0"



**SPRFL7**

7'0"



**TABFL7P**  
**TABFL5P (2'6")**

7'0"




**MBC/MBLFL7**  
**MBC/MBLFL5 (2'6")**

8'0"



**CAMFL8**  
**CAMFL6 (2'6")**

8'0"



**PCLFL8**  
**PCLFL6 (2'6")**

8'0"



**CHIFL8**  
**CHIFL6 (2'6")**

8'0"



**ABRFL8Z**  
**ABRFL6Z (2'6")**

8'0"



**ARTFL8P**

8'0"



**ARZFL8Z**

8'0"



**BREFL8P/Z**

8'0"



**CASFL8P**

8'0"



**ELZFL8P**  
**ELZFL6P (2'6")**

8'0"



**KENFL8P**

# OAK GRAIN FLUSH PANEL DOOR

8'0"



**OXFFL8**

8'0"



**SOLFL8P**

8'0"



**TABFL8P**

8'0"



**MBC/MBLFL8**  
**MBC/MBLFL6 (2'6")**

8'0"



**CAMFL1 & FL2**

8'0"



**PCLFL1 & FL2**

8'0"




**CHIFL1 & FL2**

8'0"



**ABRFL1Z & FL2Z**

8'0"



**ARTFL1P & FL2P**

8'0"



**ARZFL1Z & FL2Z**

8'0"



**BREFL1P/Z**  
**& FL2P/Z**

8'0"



**CASFL1P & FL2P**

8'0"



**ELZFLP1 & FL2P**

8'0"



**KENFLP1 & FL2P**

8'0"



**OXFFL1 & FL2**

8'0"



**SOLFL1P & FL2P**

8'0"



**SPRFL1P & FL2P**

8'0"



**TABFL1P & FL2P**

8'0"



**MBC/MBLFL1 & FL2**







# OAK GRAIN 3/4 HERITAGE DOOR

6'8"



DRG20

SLG3E

GLASS OPTIONS

6'8"




BRE3V2P/Z

6'8"




CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"




TAB341P

# OAK GRAIN 3/4 TWO PANEL DOOR



## GLASS OPTIONS



● IN STOCK

● EXTENDED LEAD TIME

# 3/4 TWO PANEL DOOR

8'0"




CAMFL7

8'0"



PCLFL7

8'0"




CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"




CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"



OXFFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBFL7

8'0"



CAMFL1

8'0"



PCLFL1

8'0"



CHIFL1

8'0"



ABRFL1Z

8'0"



ART341P & FL1P

8'0"



ARZ341Z & FL1Z

8'0"



BRE341P/Z & FL1P/Z



# 3/4 TWO PANEL DOOR



# OAK GRAIN 3/4 ELITE DOOR

6'8"



DRG3E

SLG3E

## GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"



TAB341P

# OAK GRAIN 3/4 PREMIUM DOOR

6'8"



DRG3P



SLG3P

3'0"

1'0" • 1'2"

## GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



BRE3V1P/Z

6'8"



CAS3V1P

6'8"



CHR3V1P/Z



# OAK GRAIN

## 3/4 PANEL DOOR

8'0"



DRG3080

SLG3080

### GLASS OPTIONS

8'0"



BRE3V3P/Z

8'0"



CAS3V3P

8'0"




CAMFL7

8'0"



PCLFL7

8'0"




CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P


8'0"



OXFFL7

# 3/4 THREE PANEL DOOR

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBLFL7

8'0"



CAMFL1

8'0"



PCLFL1

8'0"



CHILFL1

8'0"



ABRFL1Z

8'0"




ARTFL1P

8'0"



ARZFL1Z

8'0"



BREFL1P/Z

8'0"



CASFL1P

8'0"



CHRFL1P/Z

8'0"



ELZFL1P

8'0"



KENFL1P

8'0"




OXFFL1

8'0"



SOLFL1P

8'0"



SPRFL1P

8'0"



TABFL1P

8'0"



MBC/MBLFL1

# OAK GRAIN THREE PANEL DOOR

6'8"



DRG31

7'0"




DRG3170



# OAK GRAIN FOUR PANEL BLANK TOP DOOR



## GLASS OPTIONS



# FOUR PANEL BLANK TOP DOOR

6'8"




TABHL4P

6'8"



MBC/MBLHL4

6'8"



CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"




CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"




OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MBLHL2




Oak Grain Door • DRG6080



# OAK GRAIN TRUE FOUR PANEL DOOR



## GLASS OPTIONS



# TRUE FOUR PANEL DOOR

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"




BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRHL4P

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"




TABHL4P

7'0"



MBC/MBLHL4

8'0"



CAM342

8'0"



PCL342

8'0"



CHI342

8'0"



ART342P

8'0"




ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

# TRUE FOUR PANEL DOOR






# OAK GRAIN 3/4 FOUR PANEL DOOR



## GLASS OPTIONS



6'8"



ART341P

6'8"



ARZ341Z

6'8"



BRE341P/Z

6'8"




CAS341P

6'8"



CHR341P/Z

6'8"



ELZ341P

6'8"



KEN341P

6'8"



OXF341

6'8"



SPR341P

6'8"



SOL341P

6'8"



TAB341P

# OAK GRAIN SIX PANEL CRAFTSMAN DOOR

6'8"



3'0"

**DRG6C**



OAK GRAIN ACCESSORIES AVAILABLE ON PAGE 107.

## GLASS OPTIONS

6'8"



**ARTTL3P**

6'8"



**ARZTL3Z**

6'8"



**BRETL3P/Z**

6'8"



**ELZTL3P**

6'8"



**OXFTL3**

6'8"



**SOLTL3P**

6'8"




**SPRTL3P**



# OAK GRAIN SIX PANEL DOOR



## GLASS OPTIONS



# OAK GRAIN SIX PANEL UTILITY DOOR



## GLASS OPTIONS



● IN STOCK

● EXTENDED LEAD TIME

# SIX PANEL UTILITY DOOR

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"




KENHL4P

7'0"




OXFHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

7'0"




MBC/MBLHL4

8'0"



CHI342

8'0"



ART342P

8'0"




ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

6'8" 7'0"



CHIHL2

6'8" 7'0"



ARTHL2P

6'8" 7'0"




ARZHL2Z

6'8" 7'0"




BREHL2P/Z

6'8" 7'0"




CASHL2P

6'8" 7'0"



CHRHL2P/Z


6'8" 7'0"



ELZHL2P



# SIX PANEL UTILITY DOOR




KENHL2P



OXFHL2



SOLHL2P



SPRHL2P



TABFL1P



MBC/MBLHL2P

Oak Grain Door • DRG3E • Glass CHI342



# OAK GRAIN TRUE SIX PANEL NARROW DOOR

6'8"



DRG63

SLG60


## GLASS OPTIONS

6'8"



CHIHL4

6'8"



ARTHL4P

6'8"




ARZHL4Z

6'8"




BREHL4P/Z

6'8"



CASHL4P

6'8"



CHRHL4P/Z

6'8"



ELZHL4P

6'8"



KENHL4P

6'8"




OXFHL4

6'8"



SOLHL4P

6'8"




SPRHL4P

6'8"



TABHL4P


6'8"



MBC/MBLHL4

# TRUE SIX PANEL NARROW DOOR

6'8"



CHIHL2P

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"




CASHL2P

6'8"



CHRL2ZP/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1

6'8"




MBC/MBLHL2



# OAK GRAIN EIGHT PANEL DOOR




## GLASS OPTIONS



# OAK GRAIN NINE PANEL DOOR

6'8"

2'8" • 3'0"




DRG90

6'8"



BRE9P1P/Z

6'8"



SPR9P1P

GLASS OPTIONS

● IN STOCK

● EXTENDED LEAD TIME



Oak Grain Door • DRG80 • Glass ART8C2P



# OAK GRAIN NINE PANEL DOOR

8'0"



3'0"

DRG9180

## GLASS OPTIONS

8'0"




ART341P

8'0"



ARZ341Z

8'0"



BRE341P/Z

8'0"



CAS341P

8'0"



CHR341P/Z

8'0"



ELZ341P

8'0"



KEN341P

8'0"



OXF341

8'0"



SOL341P

8'0"



SPR341P

8'0"



TAB341P



# OAK GRAIN ACCESSORIES



## 4 Block Dentil Shelf



ACDSGT2704

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

## 16 Block Dentil Shelf



ACDSGT2716

## FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

6'8"



**DRG6C**  
ARTTL3P  
ACDSGT2704

6'8"



**DRG6C**  
BRETL3Z  
ACDSGT2716

6'8"



**DRG6C**  
ELZTL3P  
ACDSGT2704

6'8"



**DRG6C**  
SOLT3P  
ACDSGT2716

6'8"




**DRG6C**  
SPRTL3P  
ACDSGT2704

# SMOOTH




Our Smooth Doors are made with a pre-pigmented white skin; its simplicity gives a modern design and feel to any home. Our Smooth skin incorporated with a variety of panel designs and glass options, gives a clean, minimal look to any of our fiberglass doors.

# DOOR OVERVIEW





# DOOR OVERVIEW



● COMING SOON - PLEASE CALL REGARDING AVAILABILITY

● IN STOCK ● EXTENDED LEAD TIME ● 20/60 MIN FIRE RATED ✂ TRIMMABLE (3'0" ONLY) ■ 10" BOTTOM RAIL ● HVHZ IMPACT NOT AVAILABLE IN 3'6"

Smooth Door • DRS3C B0P6






# SMOOTH FLUSH PANEL DOOR



## GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME



# SMOOTH FLUSH PANEL DOOR

6'8"



**TABFL7P**  
**TABFL5P (2'6")**

6'8"



**MBC/MBLFL7**  
**MBC/MBLFL5 (2'6")**

7'0"




**CAMFL7**  
**CAMFL5 (2'6")**

7'0"



**PCLFL7**  
**PCLFL5 (2'6")**

7'0"



**CHIFL7**  
**CHIFL5 (2'6")**

7'0"



**ABRFL7Z**  
**ABRFL5Z (2'6")**

7'0"



**ARTFL7P**  
**ARTFL5P (2'6")**

7'0"



**ARZFL7Z**  
**ARZFL5Z (2'6")**

7'0"



**BREFL7P/Z**  
**BREFL5P/Z (2'6")**

7'0"



**CASFL7P**  
**CASFL5P (2'6")**

7'0"



**CHRF7P/Z**

7'0"



**ELZFL7P**  
**ELZFL5P (2'6")**

7'0"



**KENFL7P**  
**KENFL5P (2'6")**

7'0"



**OXFFL7**

7'0"



**SOLFL7**  
**SOLFL5 (2'6")**

7'0"



**SPRFL7**

7'0"



**TABFL7P**  
**TABFL5P (2'6")**

7'0"



**MBC/MBLFL7**  
**MBC/MBLFL5 (2'6")**

8'0"



**CAMFL8**  
**CAMFL6 (2'6")**

8'0"



**PCLFL8**  
**PCLFL6 (2'6")**

8'0"



**CHIFL8**  
**CHIFL6 (2'6")**

8'0"



**ABRFL8Z**  
**ABRFL6Z (2'6")**

8'0"



**ARTFL8P**

8'0"



**ARZFL8Z**

8'0"



**BREFL8P/Z**

8'0"



**CASFL8P**

8'0"



**ELZFL8P**  
**ELZFL6P (2'6")**

8'0"



**KENFL8P**

# SMOOTH FLUSH PANEL DOOR

8'0"



OXFFL8

8'0"



SOLFL8P

8'0"



TABFL8P

8'0"



MBC/MBLFL8  
MBC/MBLFL6 (2'6")

8'0"




CAMFL1 & FL2

8'0"



PCLFL1 & FL2

8'0"



CHIFL1 & FL2

8'0"



ABRFL1Z & FL2Z

8'0"



ARTFL1P & FL2P

8'0"



ARZFL1Z & FL2Z

8'0"




BREFL1P/Z  
& FL2P/Z

8'0"



CASFL1P & FL2P

8'0"



ELZFLP1 & FL2P

8'0"



KENFLP1 & FL2P

8'0"




OXFFL1 & FL2

8'0"




SOLFL1P & FL2P

8'0"



SPRFL1P

8'0"



TABFL1P & FL2P

8'0"




MBC/MBLFL1 & FL2

# SMOOTH TWO PANEL DOOR



## GLASS OPTIONS





# SMOOTH TWO PANEL DOOR

8'0"




PCL342

8'0"




CHI342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"




KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"



CHIHL2 & FL1  
CHIFL2

8'0"



ARTHL2P & FL1P  
ART341P & FL2P

8'0"



ARZHL2Z & FL1Z  
ARZ341Z & FL2Z

8'0"



BREHL2P/Z & FL1P/Z  
ARZ341P/Z & FL2P/Z

8'0"



CASHL2P & FL1P  
CAS341P & FL2P

8'0"



CHRHL2P/Z & FL1P/Z  
CHR341P/Z

8'0"



ELZHL2P & FL1P  
ELZ341P & FL2P

8'0"



KENHL2P & FL1P  
KEN341P & FL2P

8'0"



OXFHL2 & FL1  
OXF341 & FL2

8'0"



SOLHL2P & FL1P  
SOL341P & FL2P

8'0"



SPRHL2P & FL1P  
SPR341P & FL2P

8'0"



TABFL1P  
TAB341P & FL2P

8'0"



MBC/MBLHL2 & FL1  
MBC/MBLFL2








# SMOOTH TWO PANEL DOOR

SQUARE PANEL & ARCH TOP



## GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME




8'0"

**PCL342**


8'0"

**CHI342**

8'0"

**ART342P**


8'0"

**ARZ342Z**

8'0"

**BRE342P/Z**

8'0"

**CAS342P**

8'0"

**CHR342P/Z**

8'0"

**ELZ342P**

8'0"

**KEN342P**

8'0"

**OXF342**


8'0"

**SOL342P**

8'0"

**SPR342P**

8'0"

**TAB342P**

8'0"

**CHIH2 & FL1  
CHIFL2**

8'0"

**ARTH2P & FL1P  
ART341P**

8'0"

**ARZH2Z & FL1Z  
ARZ341Z**

8'0"

**BREH2P/Z & FL1P/Z  
BRE341P/Z**

8'0"

**CASH2P & FL1P  
CAS341P**

8'0"

**CHRH2P/Z & FL1P/Z  
CHR341P/Z**

8'0"

**ELZH2P & FL1P  
ELZ341P**

8'0"

**KENH2P & FL1P  
KEN341P**

8'0"

**OXFH2 & FL1  
OXF341**

8'0"

**SOLH2P & FL1P  
SOL341P**

8'0"

**SPRH2P & FL1P  
SPR341P**

8'0"

**TABFL1P  
TAB341**

8'0"


**MBC/MBLH2 & FL1**

# SMOOTH COTTAGE TWO PANEL DOOR

SQUARE PANEL & ARCH TOP



## GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH COTTAGE TWO PANEL DOOR

8'0"




PCL342

8'0"




CHI342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"




ELZ342P

8'0"




KEN342P

8'0"



OXF342

8'0"




SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"



CHIH2 & FL1  
CHIFL2

8'0"



ARTH2P & FL1P  
ART341P

8'0"



ARZH2Z & FL1Z  
ARZ341Z

8'0"



BREH2P/Z & FL1P/Z  
BRE341P/Z

8'0"



CASH2P & FL1P  
CAS341P

8'0"



CHRH2P/Z & FL1P/Z  
CHR341P/Z

8'0"



ELZH2P & FL1P  
ELZ341P

8'0"



KENH2P & FL1P  
KEN341P

8'0"



OXFH2 & FL1  
OXF341

8'0"



SOLH2P & FL1P  
SOL341P

8'0"



SPRH2P & FL1P  
SPR341P

8'0"



TABFL1P  
TAB341P

8'0"



MBC/MBLH2 & FL1  
MBC/MBLFL2



# SMOOTH 3/4 HERITAGE DOOR

6'8"



DR520



SL53E

3'0"

1'0" • 1'2"

## GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"




CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"




TAB341P

# SMOOTH 3/4 TWO PANEL DOOR



## GLASS OPTIONS



● IN STOCK

● EXTENDED LEAD TIME

# 3/4 TWO PANEL DOOR

8'0"




CAMFL7

8'0"



PCLFL7

8'0"



CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"



OXFFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBFL7

8'0"



CAMFL1

8'0"



PCLFL1

8'0"



CHIFL1

8'0"



ABRFL1Z

8'0"



ART341P  
ARTFL1P

8'0"



ARZ341Z  
ARZFL1Z

8'0"




BRE341P/Z  
BREFL1P/Z



# 3/4 TWO PANEL DOOR



CAS341P  
CASFL1P



CHR341P/Z  
CHRFL1P/Z



ELZ341P  
ELZFL1P




KEN341P  
KENFL1P



OXF341  
OXFFL1



SOL341P  
SOLFL1P



SPR341P  
SPRFL1P



TAB341P  
TABFL1P



MBC/MBLFL1



Smooth Door • DRS2980 • Glass SOLFL7P

# SMOOTH DIRECT GLAZE CRAFTSMAN

DRS3C & DR53C80 & MATCHING SIDELITES ARE  
ONLY AVAILABLE WITH GLASS



SMOOTH ACCESSORIES AVAILABLE ON PAGE 152 & 153.

## GLASS OPTIONS



# SMOOTH 3/4 ELITE DOOR

6'8"



DR53E



SLS3E

3'0"

10" • 12"

## GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"



TAB341P

● IN STOCK

● EXTENDED LEAD TIME





Smooth Door • DRS0080 • Glass ELZFL8P



# SMOOTH 3/4 PREMIUM DOOR



## GLASS OPTIONS



# SMOOTH 3/4 PANEL DOOR

8'0"



DRS3080



SL53080

2'8" • 3'0" • 3'6"

1'0" • 1'2"

## GLASS OPTIONS

8'0"



BRE3V3P/Z

8'0"



CAS3V3P

8'0"




CAMFL7

8'0"



PCLFL7

8'0"



CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"




OXFFL7



# 3/4 THREE PANEL DOOR

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBLFL7

8'0"



CAMFL

8'0"



PCLFL1

8'0"



CHILFL1

8'0"



ABRFL1Z

8'0"



ARTFL1P

8'0"



ARZFL1Z

8'0"



BREFL1P/Z

8'0"



CASFL1P

8'0"



CHRFL1P/Z

8'0"



ELZFL1P

8'0"



KENFL1P

8'0"



OXFFL1

8'0"



SOLFL1P

8'0"



SPRFL1P

8'0"



TABFL1P

8'0"



MBC/MBLFL1

# SMOOTH THREE PANEL DOOR

6'8"



DR531

7'0"



DR53170

# SMOOTH FOUR PANEL BLANK TOP DOOR



## GLASS OPTIONS



CASHR1P



CHRR1P/Z



TABHR1P



CH1HL4  
CH1HL3 (2'6")




ARTHL4P  
ARTHL3P (2'6")




ARZHL4Z  
ARZHL3Z (2'6")



BREHL4P/Z



CASHL4P  
CASHL3P (2'6")



CHRH4P/Z



ELZHL4P  
ELZHL3P (2'6")



KENHL4P  
KENHL3P (2'6")



OXFHL4



SOLHL4P  
SOLHL3P (2'6")



SPRHL4P

● IN STOCK

● EXTENDED LEAD TIME



# FOUR PANEL BLANK TOP DOOR

6'8"



TABHL4P  
TABHL3P (2'6")

6'8"




MBC/MBLHL4

6'8"



CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"




OXFHL2

6'8"



SOLHL2P

6'8"




SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MBLHL2

# SMOOTH TRUE FOUR PANEL DOOR



## GLASS OPTIONS



● IN STOCK

● EXTENDED LEAD TIME


# TRUE FOUR PANEL DOOR

7'0"




CHIHL4

7'0"



ARTHL4P

7'0"




ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"




CHRHL4P

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"




OXFHL4

7'0"




SOLHL4P

7'0"



SPRHL4P

7'0"




TABHL4P

7'0"



MBC/MBLHL4

8'0"




CAM342

8'0"




PCL342

8'0"




CHI342

8'0"




ART342P

8'0"




ARZ342Z

8'0"



BRE342P/Z

8'0"




CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"




KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P




# TRUE FOUR PANEL DOOR



# SMOOTH 3/4 FOUR PANEL DOOR



## GLASS OPTIONS



# 3/4 FOUR PANEL DOOR

6'8"



ART341P

6'8"



ARZ341Z

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"



ELZ341P

6'8"



KEN341P

6'8"



OXF341

6'8"



SPR341P

6'8"



SOL341P

6'8"



TAB341P



# SMOOTH SIX PANEL CRAFTSMAN DOOR

6'8"



3'0"

DR56C



SMOOTH ACCESSORIES AVAILABLE ON PAGE 153.

6'8"



ARTTL3P

6'8"



ARZTL3Z

6'8"



BRETL3P/Z

6'8"



ELZTL3P

6'8"



OXFTL3

6'8"



SOLTL3P

6'8"




SPRTL3P

# SMOOTH SIX PANEL DOOR



## GLASS OPTIONS




● IN STOCK

● EXTENDED LEAD TIME

# SMOOTH SIX PANEL UTILITY DOOR




## GLASS OPTIONS






# SIX PANEL UTILITY DOOR

7'0"



**ARTHL4P**

7'0"



**ARZHL4Z**

7'0"



**BREHL4P/Z**

7'0"



**CASHL4P**

7'0"




**CHRHL4P/Z**

7'0"



**ELZHL4P**

7'0"



**KENHL4P**

7'0"



**OXFHL4**

7'0"




**SOLHL4P**

7'0"



**SPRHL4P**

7'0"




**TABHL4P**

7'0"




**MBC/MBLHL4**

8'0"



**CHI342**

8'0"




**ART342P**

8'0"




**ARZ342Z**

8'0"



**BRE342P/Z**

8'0"



**CAS342P**

8'0"



**CHR342P/Z**

8'0"



**ELZ342P**

8'0"



**KEN342P**

8'0"



**OXF342**

8'0"



**SOL342P**

8'0"



**SPR342P**

8'0"



**TAB342P**

# SIX PANEL UTILITY DOOR



CHIHL2



ARTHL2P



ARZHL2Z



BREHL2P/Z



CASHL2P



CHRHL2P/Z



ELZHL2P



KENHL2P




OXFHL2



SOLHL2P



SPRHL2P



TABFL1P



MBC/MBLHL2

# SMOOTH TRUE SIX PANEL NARROW DOOR



## GLASS OPTIONS






# TRUE SIX PANEL NARROW DOOR

6'8"




CHIHL2P

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"




BREHL2ZP/Z

6'8"




CASHL2ZP

6'8"




CHRL2ZP/Z

6'8"



ELZHL2P

6'8"




KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1

6'8"



MBC/MBLHL2


Smooth Door • DRS63 • Glass KENHL4P



# SMOOTH EIGHT PANEL DOOR



## GLASS OPTIONS





# SMOOTH NINE PANEL DOOR


6'8"



2'8" • 3'0"

DRS90

6'8"



BRE9P1P/Z

6'8"



SPR9P1P

● IN STOCK

● EXTENDED LEAD TIME



Smooth Door • DRS2G80 • Glass SPR342P



# SMOOTH ONE PANEL SHAKER DOOR



## SHAKER PROFILE

The straightforward shaker design showcases the beauty that minimal design can offer. Our shaker focuses on simplicity and is easily adaptable for any home's exterior.

## SMOOTH TWO PANEL SHAKER DOOR



# SMOOTH THREE PANEL CRAFTSMAN

SHAKER PROFILE



## SMOOTH FIVE PANEL DOOR

SHAKER PROFILE





Smooth Door • DRS50





## SMOOTH ACCESSORIES

### 3 Lite



6'8" ACSDW/23005

8'0" ACSDW/23001

### SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

### 6 Lite



6'8" ACSDW/23006

8'0" ACSDW/23002

### Sidelite



ACSDW/23004

### FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.



ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

Smooth Door • DRS6C • Glass SPRTL3 • Dentil Shelf ACDSSW2716



4 Block Dentil Shelf (DRS3F)



ACDSSW2404

4 Block Dentil Shelf



ACDSSW2704

16 Block Dentil Shelf



ACDSSW2716

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.


## FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

# TRUE WHITE OAK



True White Oak Door • DRW60



**T**he True White Oak Series combines the best features of our Smooth and Oak Doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin. With many choices of decorative glass to choose from, create a look that is both timeless and modern.



6'8"

2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"



DRW00

7'0"

2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"



DRW0070

8'0"


2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"



DRW0080

6'8"


2'8" • 2'10" • 3'0"



DRW40

6'8"

2'8" • 3'0"



DRW41

6'8"

2'6" • 3'0"



DRW60

8'0"

2'6" • 2'8" • 3'0"



DRW6080

6'8"

2'8" • 2'10" • 3'0"



DRW61

🔥

7'0"

2'8" • 2'10" • 3'0"



DRW6170

7'0"

2'8" • 2'10" • 3'0"




DRW63

# TRUE WHITE OAK FLUSH PANEL DOOR



## GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

# TRUE WHITE OAK FLUSH PANEL DOOR

6'8"



**TABFL7P  
TABFL5P (2'6")**

6'8"




**MBC/MBLFL7  
MBC/MBLFL5 (2'6")**

7'0"



**CAMFL7  
CAMFL5 (2'6")**

7'0"



**PCLFL7  
PCLFL5 (2'6")**

7'0"



**CHIFL7  
CHIFL5 (2'6")**

7'0"



**ABRFL7Z  
ABRFL5Z (2'6")**

7'0"



**ARTFL7P  
ARTFL5P (2'6")**

7'0"



**ARZFL7Z  
ARZFL5Z (2'6")**

7'0"



**BREFL7P/Z  
BREFL5P/Z (2'6")**

7'0"



**CASFL7P  
CASFL5P (2'6")**

7'0"



**CHRFL7P/Z**

7'0"



**ELZFL7P  
ELZFL5P (2'6")**

7'0"



**KENFL7P  
KENFL5P (2'6")**

7'0"



**OXFFL7**

7'0"



**SOLFL7P  
SOLFL5P (2'6")**

7'0"



**SPRFL7P**

7'0"



**TABFL7P  
TABFL5P (2'6")**

7'0"



**MBC/MBLFL7  
MBC/MBLFL5 (2'6")**

7'0"



**CAMFL8  
CAMFL6 (2'6")**

7'0"



**PCLFL8  
PCLFL6 (2'6")**

7'0"



**CHIFL8  
CHIFL6 (2'6")**

8'0"



**ABRFL8Z  
ABRFL6Z (2'6")**

8'0"



**ARTFL8P**

8'0"



**ARZFL8Z**

8'0"



**BREFL8P/Z**

8'0"



**CASFL8P**

8'0"



**ELZFL8P  
ELZFL6P (2'6")**

8'0"



**KENFL8P**



# TRUE WHITE OAK FLUSH PANEL DOOR

8'0"



OXFFL8

8'0"



SOLFL8P

8'0"



TABFL8P

8'0"



MBC/MBLFL8  
MBC/MBLFL6 (2'6")

8'0"



CAMFL1 & FL2

8'0"



PCLFL1 & FL2

8'0"



CHIFL1 & FL2

8'0"



ABRFL1Z & FL2Z

8'0"



ARTFL1P & FL2P

8'0"



ARZFL1Z & FL2Z

8'0"




BREFL1P/Z  
& FL2P/Z

8'0"



CASFL1 & FL2

8'0"



ELZFLP1 & FL2P

8'0"



KENFLP1 & FL2P

8'0"




OXFFL1 & FL2

8'0"



SOLFL1P & FL2P

8'0"



SPRFL1P & FL2P

8'0"



TABFL1P & FL2P

8'0"




MBC/MBLFL1 & FL2

# TRUE WHITE OAK FOUR PANEL BLANK TOP DOOR



## GLASS OPTIONS




● IN STOCK

● EXTENDED LEAD TIME

# FOUR PANEL BLANK TOP DOOR

6'8"



TABHL4P

6'8"



MBC/MBLHL4

6'8"



CHIH2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



CHRH2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MBLHL2





True White Oak Door • DRW00 • Glass TABFL7P



# TRUE WHITE OAK

## TRUE FOUR PANEL DOOR

6'8"



2'8" • 3'0"


1'0" • 1'2"

DRW41

SLW60


### GLASS OPTIONS

6'8"



CHIHL4

6'8"




ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



CHRHL4P/Z

6'8"



ELZHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"




SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

6'8"



MBC/MBLHL4

# TRUE FOUR PANEL DOOR

6'8"



CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MCLHL2



# TRUE WHITE OAK SIX PANEL DOOR



## GLASS OPTIONS




● IN STOCK ● EXTENDED LEAD TIME

# TRUE WHITE OAK SIX PANEL UTILITY DOOR



## GLASS OPTIONS




● IN STOCK

● EXTENDED LEAD TIME

# SIX PANEL UTILITY DOOR

7'0"



ARTHL4P

7'0"




ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRH4P/Z

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"




SOLHL4P

7'0"




SPRHL4P

7'0"



TABHL4P

7'0"



MBC/MBLHL4

6'8" 7'0"



CHIHL2

6'8" 7'0"



ARTHL2P

6'8" 7'0"



ARZHL2Z

6'8" 7'0"



BREHL2P/Z

6'8" 7'0"



CASHL2P

6'8" 7'0"



CHRH2P/Z

6'8" 7'0"



ELZHL2P

6'8" 7'0"



KENHL2P

6'8" 7'0"



OXFHL2

6'8" 7'0"



SOLHL2P

6'8" 7'0"



SPRHL2P

6'8" 7'0"



TABFL1P

6'8" 7'0"



MBC/MBLHL2







True White Oak Door • DRW00 • Glass ABRFLZZ

# TRUE WHITE OAK

## TRUE SIX PANEL NARROW DOOR



### GLASS OPTIONS





# TRUE SIX PANEL NARROW DOOR

6'8"



CHIHL2P

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"



CASHL2P

6'8"



CHRL2ZP/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1

6'8"




MBC/MBLHL2





# ONELITE



Onelite Door • DRG12 Miniblind

OAK GRAIN

SMOOTH FINISH

MAHOGANY GRAIN

Our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. Doors are available in Double-Insulated Tempered Glass, LowE, Grid Between Glass (GBG), or MiniBlinds.


ALL ONELITE DOORS ARE SHOWN PRE-FINISHED



**This model complies with ADA standards** and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.



# SMOOTH ADA DOOR



**SPECIAL ORDER**  
Sound Barrier Glass (STC:34) 3'6"  
and 4'0" widths

● **IN STOCK**

● **EXTENDED LEAD TIME**

## FEATURES & BENEFITS

**REINFORCED STILES**  
For Panic Bar hardware  
and Exit Rim devices.

### 6.5" TOP RAIL

Accommodates regular and  
parallel arm closer.

### 5.5" FACE STILES

Accommodates all types  
of commercial hardware  
(including 2-3/4" backset  
161 prep and mortise locks).





# ONELITE FLUSH GLAZED HALF LITE DOOR



## GLASS OPTIONS



ONELITE

FLUSH GLAZED HALF LITE DOOR

SMOOTH



GLASS OPTIONS



● IN STOCK    ● EXTENDED LEAD TIME

# ONELITE FLUSH GLAZE 3/4 LITE DOOR



GLASS OPTIONS






# ONELITE FLUSH GLAZED 3/4 LITE DOOR

MAHOGANY



## GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

# ONELITE ACCESSORIES



AVAILABLE IN SMOOTH & MAHOGANY

## 8 & 10 Lite



6'8" ACSDM/S1368L08  
8'0" ACSDM/S1380L10

## 9 Lite



6'8" ACSDM/S1368L09  
8'0" ACSDM/S1380L09

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

## Sidelite



6'8" ACSDM/S1368L02  
8'0" ACSDM/S1380L02

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture, and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling from the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

6'8"

6'8"



DRM13C/L  
ACSDM1368  
L08

SLM13C/L  
ACSDM1368  
L02

8'0"

8'0"



DRM1380C/L  
ACSDM1380  
L10

SLM1380C/L  
ACSDM1380  
L02

6'8"

6'8"



DRM13C/L  
ACSDM1368  
L09

SLM13C/L  
ACSDM1368  
L02

8'0"

8'0"




DRM1380C/L  
ACSDM1380  
L09


SLM1380C/L  
ACSDM1380  
L02

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS/DEALERS


# NOVA SERIES



FIR GRAIN FINISH



SMOOTH FINISH



BRUSHED SMOOTH FINISH

The Nova series features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large pane glass allows for the greatest views and amount of light into your home; brightening up the space and filling it with energy. Nova comes in two sticking profiles: craftsman and square. The series is available in both Smooth and Fir grain.


ALL NOVA SERIES DOORS ARE SHOWN PRE-FINISHED




NOVA 45 SMOOTH FINISH & FIR GRAIN

6'8"

2'0" • 2'6" • 2'8" • 3'0"




DRS1DL




8'0"

2'0" • 2'6" • 2'8" • 3'0"




DRS1D80L




6'8"

2'0" • 2'6" • 2'8" • 3'0"




DRF1DL




6'8"

2'0" • 2'6" • 2'8" • 3'0"



DRF1D80L



NOVA 90 SMOOTH BRUSHED FINISH

6'8"

2'0" • 2'6" • 2'8" • 2'10" • 3'0"



DRS1S



8'0"

2'0" • 2'6" • 2'8" • 2'10" • 3'0"




DRS1S80




# NOVA 45 DIRECT GLAZED

SMOOTH & FIR GRAIN



● IN STOCK ● EXTENDED LEAD TIME




## NOVA 45 FEATURES & BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL LENGTH LVL (*Hinge & Strike side, for extra rigidity*)
- 3 INSULATED  $\frac{3}{4}$ " GLASS (*LoE 272*)
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 LEAK PROTECTION GLAZING TAPE
- 6 INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- 9 COMPOSITE BOTTOM RAIL

# NOVA 90 DIRECT GLAZED



● IN STOCK ● EXTENDED LEAD TIME



## NOVA 90 FEATURES & BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL LENGTH LVL (*Hinge & Strike side, for extra rigidity*)
- 3 INSULATED 1" GLASS (*Miniblid*)
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 BRUSH FINISHED TEXTURE
- 6 INTEGRALLY MOLDED GLASS STOP
- 7 HIGH DENSITY POLYURETHANE FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- 9 COMPOSITE BOTTOM RAIL



# PRE-FINISHED STAIN KIT & STAINING GUIDES

Plastpro Prefinished Stain Kit is an easy way to stain your fiberglass door exactly how you want for you home.

We've created easy step-by step directions using our stain kit to make staining your door a breeze. These staining instructions were created for staining our oak, rustic, fir, cherry, and mahogany skin series.

Our kit is designed exclusively for Plastpro fiberglass entry doors.



## PRE-FINISHED KIT

Plastpro Pre-finished Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

## BENEFITS & ADVANTAGES

- Protects the door from the sun, UV rays, and harsh winter weather.
- Faster drying time with environmentally friendly water based top coat. Easy to apply
- Special formula with long lasting vibrant colors.


## BOX CONTAINS

- Zar® Exterior Water-Based Polyurethane (qt)
- Zar® Wood Stain (pt)
- Mineral Spirits (4 oz.)
- Two 2" Foam Brushes
- One 2.5" Synthetic Bristle Brush
- Cheese Cloths
- Two Stir Sticks
- One Pair of Latex Gloves
- Door Staining Instructions
- Two Skin Samples

LIMITED  
5-YEAR  
FINISH  
WARRANTY

## STAIN COLOR OPTIONS

The kit comes in seven different stain variations. Depending on your desired shade, you may need to apply the stain more than once for a darker finish. \*Actual stain color may vary. To achieve the best results, test on the skin sample first.




Colors shown have one coat of stain.

## MATERIALS NEEDED

## PLASTPRO'S PRE-FINISH KIT OR:

- |                                 |                           |
|---------------------------------|---------------------------|
| A. Pre-Mixed Stain (1/2 pint)   | F. 3" China Bristle Brush |
| B. Mineral Spirits (4 fl. oz.)  | G. Two Stir Sticks        |
| C. Top Coat/Sealer (20 fl. oz.) | H. Two Skin Samples       |
| D. Two Clean Cloth              | I. Finishing Instruction  |
| E. One Pair Protective Gloves   |                           |

## STAINING INSTRUCTIONS FOR GRAINED DOORS &amp; PF™ DOOR FRAMES



## STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS / PF™ DOOR FRAMES
4. Wipe the Door / PF™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.



## STEP 2: STAIN APPLICATION


1. Starting at the center of the Door / PF™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PF™ Door Frame grain.
2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PF™ Door Frame.
3. After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
4. (If desired) Allow the Door / PF™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



## STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.



## IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturers instructions before applying any stain.

## MATERIALS NEEDED

- A. Lint-free cloth
- B. Mineral Spirits
- C. Rubber gloves
- D. Masking tape
- E. 4" Bristle Brush
- F. For Water-based Application: Acrylic-based primer\*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

## PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS



## STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
6. The primer must be completely dry before applying the topcoat.



## STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

## CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

## IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.



## MATERIALS NEEDED

- A. Lint-free Cloth
- B. Mineral Spirits
- C. Rubber Gloves
- D. Masking Tape
- E. 4" Bristle Brush

F. For Water-based Application: Acrylic-based primer\* / acrylic latex-based exterior grade paint.

G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper

(For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

## PAINTING INSTRUCTIONS FOR DOORS &amp; PF™ DOOR FRAMES



## STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. **Smooth Doors only.** Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper. **DO NOT SAND GRAINED FIBERGLASS.**
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors / PF™ Door Frames which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
7. The primer must be completely dry before applying the topcoat.



## STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles, or both PF™ Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

## CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

## IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.





Nova Series Door • DRS1SB





## PLASTPRO DOORS & THEIR LEED CONTRIBUTIONS

		RUSTIC	OAK	SMOOTH	TRIMMABLE	FIRE RATED	HVHZ	PFTM DOOR FRAMES	TRIM BOARD
10%	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	
20%	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	
10%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	
20%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	
2.5%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	

All Plastpro products that utilize structural wood members are sourced from vendors certified to SFI (Sustainable Forest Initiative), Plastpro does not offer products that are certified by FSC (Forest Stewardship Council)

	MATERIAL RESOURCE	REQUIREMENT
10%	<b>RECYCLE CONTENT</b>	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 10% of cost, for the total value of the materials for that project.
20%	<b>RECYCLE CONTENT</b>	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 20% of cost, for the total value of the materials for that project.
10%	<b>REGIONAL MATERIALS</b>	Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site ( = > 10% total project material cost)
20%	<b>REGIONAL MATERIALS</b>	20% Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site ( = > 20% total project material cost)
2.5%	<b>RAPIDLY RENEWABLE MATERIAL</b>	Use of building materials or products made from plants, typically harvested, with-in a ten-year cycle or shorter ( = > 2.5% total project material cost)



# PRODUCT INDEX

Easily locate Plastpro Doors, PF™ Door Frames and accessories within the catalog.

PG 188 - 193

# PFT™ DOOR FRAMES

CATEGORY	NAME	AVAILABLE GRAINS	PAGE
DOOR FRAME	4-9/16" Door Frame	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	5-1/4" Door Frame	Primed, White Capped	9
	6-9/16" Door Frame	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	7-1/4" Door Frame	Primed, White Capped	9
	WM180 Florida Brickmold	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	WM176 Brickmold	Oak Grain, Primed	9
	1-1/2" x 1" Mull Post Cover	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	2" x 1" Mull Post Cover	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	Mull Post Cap	Oak Grain, PVC - White	9
	Mull Post w/ LVL-3P	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	1" x 2" Stuccomold	Primed	9
	4.528" x 17' Primed Backband	Primed	9
	3.21" x 6'8" Astragal	PVC - White	9
	3.21" x 8'0" Astragal	PVC - White	9
	.551" x 8'4" Sidelite Stopper	Oak Grain, Primed	9
	Nailing Fin	Oak Grain, Primed, White Capped	9
	J-Channel	Oak Grain, Primed, White Capped	9
	Flat casing	Oak Grain, Primed, White Capped	9
	Flat Casing J-Channel	Oak Grain, Primed, White Capped	9
	Trim Boards	PVC - White	9
	1-1/4" x 3" Jamb Extension	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	1" x 2-1/2" Storm Door Extension	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	1" x 3" Storm Door Extension	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	4-9/16" Transom Sill	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	6-9/16" Transom Sill	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	9
	PFT™ Arch & Radius Headers	Oak Grain	9

# FIBERGLASS ENTRY SYSTEMS

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
LIMITED	DRC21	6'8"	3'0"	Two Panel	32 - 33
	DMT51	6'8"	2'8", 2'10", 3'0", 3'6"	Modern Teak Milan Door	34
	DMT5170	7'0"	3'0", 3'6"	Modern Teak Milan Door	34
	DRK2B	6'8"	2'8", 2'10", 3'0"	Two Panel	35
MODERN	DMG46	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	38
	DMG4680	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	38
	DMG51	6'8"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	38
	DMG5180	8'0"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	38
	DMS1L	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	39
	DMS1L80	8'0"	3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	39
	DMS1R	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1R80	8'0"	3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1T	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Martinique Twin Lite, Smooth Skin	41

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
MODERN	DMS1T80	8'0"	3'0", 3'6"	Martinique Twin Lite, Smooth Skin	41
	DMS3HI	6'8"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	42
	DMS3H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	42
	DMS5HI	6'8"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	42
	DMS5H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	42
RUSTIC	DRATP	6'8"	2'6", 3'0", 3'6"	True Plank, Square Top	46
	DRATP70	7'0"	3'0"	True Plank, Square Top	46
	DRATP80	8'0"	2'6", 3'0", 3'6"	True Plank, Square Top	46
	DRA1A80	8'0"	3'0", 3'6"	One Panel, Arch Plank	46
	DRA1P	6'8"	3'0"	One Panel, Square Plank	47
	DRA1P80	8'0"	3'0", 3'6"	One Panel, Square Plank	47
	DRA2A	6'8"	3'0"	Two Panel, Arch Plank	48
	DRA2A80	8'0"	3'0", 3'6"	Two Panel, Arch Plank	48
	DRA2B	6'8"	3'0"	Two Panel, Square Panel	49
	DRA2C	6'8"	3'0"	Two Panel, Arch Plank, Arch Top	50
	DRA2C80	8'0"	3'0", 3'6"	Two Panel, Arch Plank, Arch Top	50
	DRA2D	6'8"	3'0", 3'6"	Two Panel, Arch Panel	51
	DRA2F80	8'0"	3'0"	Two Panel, Radius Panel, Radius Top	52
	DRA2P80	8'0"	3'0", 3'6"	Two Panel, Square Plank	52
	DRA2R80	8'0"	3'0"	Two Panel, Radius Panel	53
	DRA4R80	8'0"	3'0", 3'6"	Four Panel, Radius Panel	53
	ACCLP12Q	1 1/2"	1 1/2"	Square Clavos	54
	ACCLP14Q	1 1/4"	1 1/4"	Square Clavos	54
	ACCLP12R	1 1/2"	1 1/2"	Round Clavos	54
	ACCLP14R	1 1/4"	1 1/4"	Round Clavos	54
	ACCHGSTP18	2 1/9"	18"	Wrought Iron Hinge Strap	55
	ACCSPKY0910KIT	15 1/4"	8 3/4"	Wrought Iron Speakeasy	55
	ACCSPKYGSB0KIT	11 8/9"	9 8/9"	Wrought Iron Speakeasy	55
MAHOGANY	DRM3D	6'8"	3'0"	Three Panel Deluxe	58
	DRM4E	6'8"	3'0"	Four Panel Eyebrow	59
	DRM40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	60 - 61
	DRM41	6'8"	3'6"	True Four Panel	63
	DRM60	6'8"	3'0"	Six Panel	64
	DRM6080	8'0"	3'6"	Six Panel	64
FIR GRAIN	DRF3C	6'8"	3'0"	Direct Glazed Craftsman	68
	DRF3C80	8'0"	3'0"	Direct Glazed Craftsman	69 - 69
	DRF1K	6'8"	2'8", 2'10", 3'0"	One Panel Square Top Shaker	70
	DRF2K	6'8"	2'8", 2'10", 3'0"	Two Panel Square Top Shaker	70
	DRF3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	71
	DRF3F80	8'0"	3'0"	Three Panel Shaker Craftsman	71
	DRF50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	71
	ACDSFT2704	3 5/8"	27"	4 Block Dentil Shelf	73
	ACSDF23001	1 1/2"	17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	73
	ACSDF23005	1 1/2"	23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	73
	ACSDF23002	1 1/2"	25 3/4" (2 pcs), 8 2 1/2" (8 pcs)	6-Lite SDL Bars for 6'8" Door	73



SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
FIR GRAIN	ACSDF23006	1 1/2"	26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	73
	ACSDF23004	1 1/2"	8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	73
OAK GRAIN	DRG00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG20	6'8"	3'0"	3/4 Heritage	80
	DRG29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	81 - 82
	DRG2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	81 - 82
	DRG3E	6'8"	3'0"	3/4 Elite	84
	DRG3P	6'8"	3'0"	3/4 Premium	85
	DRG3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	86 - 87
	DRG31	6'8"	3'0"	Three Panel	88
	DRG3170	7'0"	3'0"	Three Panel	88
	DRG40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	89 - 90
	DRG41	6'8"	2'8", 2'10", 3'0", 3'6"	True Four Panel	92 - 93
	DRG4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	92 - 93
	DRG4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	92 - 93
	DRG49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	95
	DRG6C	6'8"	3'0"	Six Panel Craftsman	97
	DRG60	6'8"	2'6", 3'0"	Six Panel	98
	DRG6080	8'0"	2'6", 2'8", 3'0", 3'6"	Six Panel	98
	DRG61	6'8"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6180	8'0"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	99 - 100
	DRG63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	102
	DRG80	6'8"	3'0"	Eight Panel, Center Arch	104
	DRG8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	104
	DRG90	6'8"	2'8", 3'0"	Nine Panel	105
	DRG9180	8'0"	3'0"	Nine Panel	106
	ACDSGT2704	3"	27"	4 Block Dentil Shelf	107
	ACDSGT2716	3 2/3"	27 1/9"	16 Block Dentil Shelf	107
SMOOTH	DRS00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS2B	6'8"	2'8", 2'10", 3'0"	Two Panel	115 - 116
	DRS2B80	8'0"	2'8", 2'10", 3'0"	Two Panel	115 - 116
	DRS2D	6'8"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	118 - 119
	DRS2D80	8'0"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	118 - 119
	DRS2G	6'8"	2'8", 2'10", 3'0"	Cottage Two Panel	120
	DRS2G80	8'0"	2'8", 2'10", 3'0"	Cottage Two Panel	120 - 121
	DRS20	6'8"	3'0"	3/4 Heritage	122
	DRS29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	123
	DRS2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	123 - 124
	DRS3C	6'8"	3'0"	Direct Glazed Craftsman	126

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
SMOOTH	DRS3C80	8'0"	3'0"	Direct Glazed Craftsman	126
	DRS3E	6'8"	3'0"	3/4 Elite	127
	DRS3P	6'8"	3'0"	3/4 Premium	129
	DRS3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	130 - 131
	DRS31	6'8"	3'0"	Three Panel	132
	DRS3170	7'0"	3'0"	Three Panel	132
	DRS40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	133 - 134
	DRS41	6'8"	2'8", 2'10", 3'0"	True Four Panel	135
	DRS4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	135 - 136
	DRS4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	135 - 136
	DRS42	6'8"	2'6"	Four Panel Blank Top	133
	DRS49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	138
	DRS6C	6'8"	3'0"	Six Panel Craftsman	140
	DRS60	6'8"	2'6", 3'0"	Six Panel	141
	DRS6080	8'0"	2'6", 2'8", 3'0"	Six Panel	141
	DRS6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	142
	DRS61	6'8"	2'8", 2'10", 3'0"	Six Panel Utility	142
	DRS6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	142 - 143
	DRS6180	8'0"	2'8", 2'10", 3'0"	Six Panel Utility	143
	DRS63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	145
	DRS80	6'8"	3'0"	Eight Panel, Center Arch	147
	DRS8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	147
	DRS90	6'8"	2'8", 3'0"	Nine Panel	148
	DRS1K	6'8"	2'8", 2'10", 3'0"	One Panel Square Top Shaker	149
	DRS2K	6'8"	2'8", 2'10", 3'0"	Two Panel Square Top Shaker	149
	DRS3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	150
	DRS3F80	8'0"	3'0"	Three Panel Shaker Craftsman	150
	DRS50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	150
	ACSDW23005		17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	152
	ACSDW23001		23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	152
	ACSDW23006		25 3/4" (2 pcs), 8 21/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	152
	ACSDW23002		26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	152
	ACSDW23004		8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	152
	ACDSSW2404		24"	4 Block Dentil Shelf	152 - 153
	ACDSSW2704		27"	4 Block Dentil Shelf	152 - 153
	ACDSSW2716		27 1/9"	16 Block Dentil Shelf	152 - 153
TRUE WHITE OAK	DRW00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	156 - 157
	DRW0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	156 - 157
	DRW0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	156 - 158
	DRW40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	159 - 160
	DRW41	6'8"	2'8", 2'10", 3'0"	True Four Panel	162
	DRW60	6'8"	2'6", 3'0"	Six Panel	164
	DRW6080	8'0"	2'6", 3'0"	Six Panel	164
	DRW61	6'8"	2'6", 2'8", 2'10", 3'0"	Six Panel Utility	165

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
<b>TRUE WHITE OAK</b>	DRW6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	165 -166
	DRW63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	168
<b>ONELITE SERIES</b>	DRS11	6'8"	3'0"	Full Lite - Commercial ADA	172
	DRS1170	7'0"	3'0"	Full Lite	172
	DRS1180	8'0"	3'0"	Full Lite	172
	DRG12	6'8"	2'8", 3'0"	Flush Glazed Half Lite	173
	DRG12 G09	6'8"	2'8", 3'0"	9 Lite GBG	173
	DRG12B	6'8"	2'8", 3'0"	Half Lite with Miniblinds	173
	DRS12	6'8"	2'8", 3'0"	Flush Glazed Half Lite	174
	DRS12 G09	6'8"	2'8", 3'0"	9 Lite GBG	174
	DRS12B	6'8"	2'8", 3'0"	Half Lite with Miniblinds	174
	DRS13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	175
	DRS1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	175
	DRM13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	176
	DRM1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	176
	ACSDM/S1368L08C	1 1/4"	48 5/32" (2 pcs), 12 59/64" (12 pcs)	8-Lite SDL Bars for 6'8" Door	177
	ACSDM/S1380L10C	1 1/4"	64 5/32" (2 pcs), 12 59/64" (16 pcs)	10-Lite SDL Bars for 8'0" Door	177
<b>NOVA SERIES</b>	DRS1DL	6'8"	2'0", 2'6", 2'8", 3'0"	Smooth Direct Glazed Full Lite w/ LowE	180
	DRS1D80L	8'0"	2'0", 2'6", 2'8", 3'0"	Smooth Direct Glazed Full Lite w/ LowE	180
	DRF1DL	6'8"	2'0", 2'6", 2'8", 3'0"	Fir Direct Glazed Full Lite w/ LowE	180
	DRF1D80L	8'0"	2'0", 2'6", 2'8", 3'0"	Fir Direct Glazed Full Lite w/ LowE	180
	DRS1S	6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/Minibind	181
	DRS1S80	8'0"	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/Minibind	181



## NOTES



THE DOOR OF BEAUTY AND INNOVATION





[PlastproInc.com](http://PlastproInc.com)

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2019 Plastpro Inc. All Rights Reserved

Product # MKLFLB2019 Updated Jan 2019